

**SEATTLEU**

SEATTLE UNIVERSITY 206-296-6999

**DANGEROUS WASTE/HAZARDOUS WASTE**

CHEMICAL NAME(S) PERCENT%

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**RISK COMMUNICATION/PRELIMINARY DETERMINATION**



Corrosive D002

Ignitable D001

Reactive D003

Toxic WT D004-D043

Env. Impact WP

**GENERATOR INFORMATION**

CONTACT: BUILDING AND DEPARTMENT:

PHONE: ROOM:

**SEATTLEU**

SEATTLE UNIVERSITY 206-296-6999

**DANGEROUS WASTE/HAZARDOUS WASTE**

CHEMICAL NAME(S) PERCENT%

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**RISK COMMUNICATION/PRELIMINARY DETERMINATION**



Corrosive D002

Ignitable D001

Reactive D003

Toxic WT D004-D043

Env. Impact WP

**GENERATOR INFORMATION**

CONTACT: BUILDING AND DEPARTMENT:

PHONE: ROOM:

**SEATTLEU**

SEATTLE UNIVERSITY 206-296-6999

**DANGEROUS WASTE/HAZARDOUS WASTE**

CHEMICAL NAME(S) PERCENT%

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**RISK COMMUNICATION/PRELIMINARY DETERMINATION**



Corrosive D002

Ignitable D001

Reactive D003

Toxic WT D004-D043

Env. Impact WP

**GENERATOR INFORMATION**

CONTACT: BUILDING AND DEPARTMENT:

PHONE: ROOM:

**SEATTLEU**

SEATTLE UNIVERSITY 206-296-6999

**DANGEROUS WASTE/HAZARDOUS WASTE**

CHEMICAL NAME(S) PERCENT%

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**RISK COMMUNICATION/PRELIMINARY DETERMINATION**



Corrosive D002

Ignitable D001

Reactive D003

Toxic WT D004-D043

Env. Impact WP

**GENERATOR INFORMATION**

CONTACT: BUILDING AND DEPARTMENT:

PHONE: ROOM:

**SEATTLEU**

SEATTLE UNIVERSITY 206-296-6999

**DANGEROUS WASTE/HAZARDOUS WASTE**

CHEMICAL NAME(S) PERCENT%

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**RISK COMMUNICATION/PRELIMINARY DETERMINATION**



Corrosive D002

Ignitable D001

Reactive D003

Toxic WT D004-D043

Env. Impact WP

**GENERATOR INFORMATION**

CONTACT: BUILDING AND DEPARTMENT:

PHONE: ROOM:

**SEATTLEU**

SEATTLE UNIVERSITY 206-296-6999

**DANGEROUS WASTE/HAZARDOUS WASTE**

CHEMICAL NAME(S) PERCENT%

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**RISK COMMUNICATION/PRELIMINARY DETERMINATION**



Corrosive D002

Ignitable D001

Reactive D003

Toxic WT D004-D043

Env. Impact WP

**GENERATOR INFORMATION**

CONTACT: BUILDING AND DEPARTMENT:

PHONE: ROOM: